Press TAB to move to input area **Energy Consumption and Greenhouse Gas Emissions Reporting - for FY2019**

Confirm consecutive 12-month p	Sep 01, 2018 - Aug 31, 2019	
Type of Public Agency (Sector):	**School Boa**	**Please fill in the mandatory fields indicated in red, in addition to**
Agency Sub-sector	**School Board**	
Organization Name	Simcoe Muskoka Catholic District School Board	

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted	Average # Hours Per Week	Swimming Pool (Y/N)	Number of Portables	Electricity	Natural Gas	Fuel Oil 1 and 2	Fuel Oil 4 and 6	Propane	Coal	Wood	District Heating	Renewable?	District Cooling	GHG Emissions (kg)	Energy Intensity (ekWh/sqft)	Building / Operation Identifier	Comments
Canadian Martyrs	School	7 Bellisle Rd	Penetang	L9M 1N6	37,501.47 Square	60	No	0	153,200.71 kWh	27,935.34 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	57,342.08541	12.00197		
Catholic Education Centre	Admin	46 Alliance Blvd	Barrie	L4M 5K3	21,108.03 Square	80	No	0	313,375.00 kWh	18,472.60 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	44,184.40455	24.14710		
Father F.X. O'Reilly	School	235 Queen St. North,	Tottenhar	L0G 1W0	34,517.67 Square	60	No	8	382,645.61 kWh	27,227.01 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	62,782.53972	19.46853		
Foley	School	2162 Concession Roa	Ramara	L0K 1B0	14,679.82 Square	60	No	0	73,101.59 kWh	0.00 Cubic Meter	23,796.50 Litre	# Litr	#	##	##	## (	No	(N	67,247.14557	22.45089		
Holy Cross	School	910 Leslie Dr	Innisfil	L9S 2B8	47,651.83 Square	60	No	6	322,827.09 kWh	46,720.23 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	97,869.42908	17.19471		
Holy Family	School	180 King St S	New Tecu	L9R 1B9	41,861.37 Square	60	No	3	531,565.73 kWh	31,574.74 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	75,402.76003	20.71444		
Holy Trinity HS	School	100 Melbourne Cr. P.(	Bradford	L3Z 2B3	79,135.12 Square	70	No	2	961,120.01 kWh	44,607.60 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	112,735.49814	18.13606		
Jean Vanier HS	School	160 Collins St	Collingwo	L9Y 4R1	98,749.68 Square	70	No	9	900,103.46 kWh	108,858.81 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	232,407.66109	20.83076		
Marie of the Incarnation	School	105 Colborne St	Bradford '	L3Z 1C4	44,848.00 Square	60	No	11	426,340.00 kWh	25,235.11 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	60,307.68158	15.48638		
Monsignor Castex	School	120 Penetanguishene	Midland	L4R 4L3	25,693.98 Square	60	No	3	210,055.26 kWh	21,903.03 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	47,617.17442	17.23500		
Monsignor Clair	School	345 Livingstone St E	Barrie	L4M 7B5	50,364.34 Square	60	No	0	307,314.88 kWh	61,702.10 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	125,736.20463	19.12208		
Monsignor J.E. Ronan	School	10 Lilly St E	New Tecu	L0G 1A0	41,790.32 Square	60	No	8	290,293.00 kWh	29,861.54 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	65,034.61657	14.54056		
Monsignor Lee	School	14 Fitton Hts	Orillia	L3V 2H9	48,331.00 Square	60	No	1	263,181.61 kWh	48,529.60 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	99,527.85421	16.11685		
Monsignor Michael O'Leary	School	2 Tamarack Trl	Bracebrid	P1L 1Z2	35,937.46 Square	60	No	2	344,510.51 kWh	33,598.68 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	73,702.16257	19.52252		
Mother Teresa	School	110 Northgate Dr	Bradford '	L3Z 3A9	39,482.02 Square	60	No	0	209,466.67 kWh	40,516.14 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	82,790.22257	16.21151		
Notre Dame	School	30 Fitton Hts	Orillia	L3V 2H9	42,234.34 Square	60	No	6	384,698.18 kWh	37,906.03 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	83,033.23135	18.64727		
Our Lady of Grace	School	24 Roth St	Essa	L0M 1B0	28,423.58 Square	60	No	11	356,070.75 kWh	36,281.60 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	79,116.15544	14.84336		
Our Lady of Lourdes	School	34 Kerr St	Springwat	L0L 1P0	20,534.30 Square	60	No	3	251,243.50 kWh	26,613.30 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	57,739.57232	25.07435		
Patrick Fogarty SS	School	15 Commerce Rd	Orillia	L3V 6S1	113,159.32 Square	70	No	4	1,096,679.00 kWh	78,838.94 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	181,459.69389	17.09591		
Plant Services	Admin	97 Ferndale Drive	Barrie	L4N 9V5	9,437.69 Square	60	No	0	38,035.53 kWh	7,109.71 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	14,565.69210	12.03642		
Pope John Paul II	School	211 Ashford Dr	Barrie	L4N 6A3	57,410.31 Square	60	No	16	410,305.81 kWh	31,514.04 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	71,705.01842	12.98077		
Sacred Heart	School	241 Elizabeth St	Midland	L4R 1Y5	36,766.28 Square	60	No	2	167,302.11 kWh	60,676.35 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	119,659.78119	22.08972		
Saint Gabriel the Archangel	School	130 Prince William Wa	Barrie	L4M 7G4	49,998.36 Square	60	No	1	317,516.73 kWh	54,827.63 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	113,040.57999	13.93291		
Saint Mary's	School	36 Silverwood Dr	Huntsville	P1H 1N1	29,203.01 Square	60	No	1	267,578.11 kWh	4,285.13 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	16,007.97798	10.72216		
Sister Catherine Donnelly	School	123 Hanmer St E	Barrie	L4M 6W2	47,656.13 Square	60	No	2	305,000.78 kWh	48,666.84 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	101,023.00824	17.25321		
St Ann's	School	5 Dunlop St	Penetang	L9M 1J2	31,151.28 Square	60	No	3	246,158.17 kWh	41,473.98 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	85,685.31073	22.05156		
St Antoine Daniel	School	460 Park St	Tay	L0K 2A0	28,384.43 Square	60	No	1	226,832.00 kWh	29,215.27 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	61,937.61277	18.93029		
St Bernard's	School	255 Oxford St	Orillia	L3V 1H6	46,913.41 Square	60	No	4	213,479.05 kWh	24,550.64 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	52,723.97424	10.11220		
St Charles	School	691 Simcoe Rd., P.O.	Bradford	L3Z 2B2	19,196.34 Square	60	No	7	166,534.65 kWh	18,732.99 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	40,337.85798	19.04658		
St Dominic's SS	School	955 Cedar Lane, R.R.	Bracebrid	P1L 1T6	84,105.21 Square	70	No	6	568,172.00 kWh	83,155.14 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	174,003.69160	17.26321		
St Francis of Assisi	School	1067 Anna Maria Ave	Innisfil	L9S 1W2	53,547.73 Square	60	No	7	446,771.60 kWh	51,506.44 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	110,580.67301	18.56606		
St James	School	7332 St. James Lane,	Tottenhar	L0G 1W0	28,268.16 Square	60	No	4	216,517.29 kWh	25,522.09 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	54,650.40368	17.25476		
St Jean de Brebeuf	School	151 Miller Park Ave	Bradford '	L3Z 2K3	29,604.52 Square	60	No	1	242,876.56 kWh	18,550.57 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	42,248.72230	14.86354		
St John Vianney	School	393 Innisfil St	Barrie	L4N 3G7	24,773.03 Square	60	No	1	171,518.18 kWh	36,481.98 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	74,041.84185	21.48034		
St Joseph's SS	School	243 Cundles Rd E	Barrie	L4M 6L1	131,417.63 Square	70	No	6	1,136,459.01 kWh	84,285.86 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	192,933.21627	15.46391		
St Marguerite D'Youville	School	240 Kozlov St	Barrie	L4N 7H6	40,846.32 Square	60	No	5	375,628.19 kWh	44,988.05 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	96,154.68747	20.90154		
St Mary's (1)	School	340 Leacock Dr	Barrie	L4N 6K1	35,719.46 Square	60	No	7	360,488.59 kWh	23,182.14 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	54,480.50014	16.98971		
St Mary's (2)	School	18 Saunders St	Collingwo	L9Y 3Y9	41,961.48 Square	60	No	2	339,337.75 kWh	25,991.53 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	59,167.03887	14.66988		
St Monica's	School	90 Steel St	Barrie	L4M 2E9	43,206.34 Square	60	No	0	352,062.27 kWh	59,769.93 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	123,405.38825	22.85044		
St Nicholas	School	100 Lougheed Rd	Barrie	L4N 8G5	55,444.90 Square	60	No	0	338,321.50 kWh	45,455.32 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	95,935.78142	14.81490		
St Noel Chabanel	School	425 Ramblewood Dr	Wasaga E	L9Z	37,221.60 Square	60	No	4	267,213.71 kWh	41,322.68 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	86,021.39740	18.97774		
St Peter's	School	201 Ashford Dr	Barrie	L4N 6A3	174,501.33 Square	70	No	12	1,609,776.02 kWh	90,381.57 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	218,443.50270	14.72958		
St Theresa's SS	School	347 Galloway Blvd	Midland	L4R 5B2	142,518.45 Square	70	No	4	1,220,563.75 kWh	114,299.90 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	252,163.69917	16.90554		
St Thomas Aquinas	School	2 Nolan Rd. P.O. Box	Tottenhar	L0G 1W0	125,185.84 Square	70	No	9	1,060,837.36 kWh	65,634.11 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	155,435.23784	14.04617		
St. Angela Merici CS	School	109 West Park Ave	Bradford	L3Z 0A7	55,771.00 Square	70	No	13	398,320.00 kWh	42,454.40 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	92,034.98701	17.95144		
St. Bernadette	School	101 Marsellus Dr	Barrie	L4N 8R6	50,124.29 Square	60	No	4	250,264.85 kWh	30,938.72 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	65,888.40219	11.55277		
St. Catherine of Siena	School	111 Summerset Dr	Barrie	L4N 0A6	55,188.14 Square	60	No	1	305,828.97 kWh	32,559.61 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	70,594.70855	11.81169		
St. Joan of Arc	School	460 Mapleton Ave	Barrie	L4N 9C2	182,406.00 Square	70	No	18	1,408,593.12 kWh	126,565.64 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	280,909.52521	15.09657		
St. Michael the Archangel	School	349 Big Bay Point Rd	Barrie	L4N 8A2	49,794.89 Square	60	No	6	345,268.37 kWh	51,763.10 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	108,066.71186	17.98166		
St. Paul's	School	100 James A. McCagu	Alliston	L9R 0G5	47,511.90 Square	60	No	9	363,194.50 kWh	39,265.44 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	84,967.96364	16.42744		
St. Peter the Apostle Catholic Sc	School	15 Silver Birch Court	Parry Sou	P2A 0A8	25,122.97 Square	60	No	0	91,120.80 kWh	21,270.16 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	42,906.36696	12.62491		
The Good Shepherd	School	23 Cloughley Dr	Barrie	L4N 7Y2	43,156.80 Square	60	No	4	296,503.79 kWh	31,563.60 Cubic Meter	0.00 Litre	# Litr	#	##	##	## (	No	(N	68,436.08459	14.64322		

Energy Type and Amount Purchased and Consumed in Natural Units (Electricity through District Cooling columns); Total (calculated in webform) (GHG Emissions and Energy Intensity columns)